

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) An apparatus for treating neuropathy, comprising: a controller, the controller being configured to output an asymmetrical biphasic signal; a first container and a second container, the first container and the second container being configured to hold a fluid; a first electrode configured to be in electrical contact with the fluid held by the first container and a second electrode configured to be in electrical contact with the fluid held by the second container, the first electrode and the second electrode being configured to be coupled to the controller, and being configured to receive the asymmetric biphasic signal output from the controller.
2. (Original) The apparatus of claim 1, wherein the asymmetrical biphasic signal is generated using a transformer.
3. (Original) The apparatus of claim 1, wherein the fluid is contained within a water-absorbing medium, the water absorbing medium being placed in at least the first container.

4. (Original) The apparatus of claim 1, wherein the fluid is a water-electrolyte solution.
5. (Original) The apparatus of claim 4, wherein the water-electrolyte solution includes at least one of potassium, calcium, benfotiamine, magnesium, and colloidal silver.
6. (Original) The apparatus of claim 1, wherein the controller is configured to selectively output the asymmetrical biphasic signal in at least two of a pulsed mode, a continuous wave mode, and a surged mode.
7. (Original) The apparatus of claim 1, wherein the first container and the second container are formed as part of a unitary structure.
8. (Amended) The apparatus of claim 1, wherein the first electrode and the second electrode are electrically isolated from each other ~~a power source~~.
9. (Original) The apparatus of claim 1, wherein the asymmetric biphasic signal is output at approximately 7.83 Hz.
10. (Original) The apparatus of claim 1, wherein a voltage associated with the asymmetric biphasic signal is adjusted based on the resistance between the first electrode and the second electrode.

11. (Currently Amended) A method for treating neuropathy comprising: outputting an asymmetrical biphasic signal; receiving the asymmetrical biphasic signal at a first electrode and a second electrode, the first electrode being configured to be in electrical contact with a fluid disposed in a first container, and the second electrode being configured to be in electrical contact with a fluid disposed within a second container.

12. (Original) The method of claim 11, said outputting further including selectively outputting an asymmetrical biphasic signal in one of a pulsed mode, a continuous wave mode, and a surged mode.

13. (Original) The method of claim 11, the fluid disposed in the first container and the fluid disposed in the second container being water, the method further comprising: adding electrolytes to the water disposed in the first container and the water disposed in the second container.

14. (Original) The method of claim 11, wherein the fluid is substantially contained within a water-absorbing medium.

15. (Original) The method of claim 11, further comprising: propagating the asymmetrical biphasic signal through a first extremity and a second extremity.

16. (Original) The method of claim 11, wherein the asymmetrical biphasic signal is output at approximately 7.83 Hz.

17. (Withdrawn) A method for treating neuropathy, comprising: placing a first extremity in a first container, the first container including a fluid; placing a second extremity in a second container, the second container including the fluid; outputting an asymmetrical biphasic signal from a controller to the first extremity and the second extremity via the fluid in the first container and the fluid in the second container.

18. (Withdrawn) The method of treating neuropathy as recited in claim 17, further comprising: removing the first extremity from the first container; and applying a topical cream to the first extremity.

19. (Withdrawn) The method of treating neuropathy as recited in claim 18 wherein applying a topical cream includes applying a topical cream including camphor and menthol.

20. (Withdrawn) The method of treating neuropathy as recited in claim 17, wherein outputting the asymmetrical biphasic signal includes outputting the asymmetrical biphasic signal in one of a continuous wave mode, a pulsed mode, and a surged mode.

21. (Withdrawn) The method of treating neuropathy as recited in claim 17, further comprising: adding electrolytes to the fluid in the first container.

22. (Withdrawn) The method of treating neuropathy as recited in claim 17, further comprising:
adding at least one of magnesium, calcium, potassium, and benfotiamine to the fluid in the first
container.